



shoppingcart_options	
<b>shoppingcart_id</b>	numeric(11)
item_options_id	numeric(11)
all_options_id	numeric(11)




shoppingcart_op	
<b>shoppingcart_id</b>	numeric(11)
<b>item_no</b>	varchar(150)
price	numeric(10,2)
qty	numeric(6)
transactionid	numeric(12)
exported	bpchar(1)
qty_shipped	numeric(6)
qty_bko	numeric(6)
options	varchar(400)
sh_charge	numeric(10,2)
group_qty	numeric(6)
b_sh_charge	numeric(10,2)
comment	varchar(200)
user_name	varchar(80)



shipping_charge	
<b>item_no</b>	varchar(150)
<b>shipping_type_id</b>	numeric(11)
<b>override_shipping_charge</b>	numeric(10,2)



item_do	
<b>document_id</b>	
<b>document_name</b>	
<b>document_type</b>	
<b>item_no</b>	
document_file_name	
document_content	




product_op	
<b>item_no</b>	varchar(150)
<b>main_pic</b>	varchar(400)
<b>small_pic</b>	varchar(400)
<b>large_pic</b>	varchar(400)
description	varchar(1000)
thumb_description	varchar(2000)
<b>price</b>	numeric(10,2)
<b>status</b>	numeric(1)
exported	bpchar(1)
<b>onhand_qty</b>	numeric(9)
<b>committed_qty</b>	numeric(9)
<b>wholesale_price</b>	numeric(10,2)
internet_special	numeric(5)
special_price	numeric(10,2)
wh_special_price	numeric(10,2)
special_description	varchar(1000)
<b>cid</b>	numeric(3)
large_description	varchar(10000)
dimension3_val	varchar(100)
dimension4_val	varchar(100)
dimension5_val	varchar(100)

document	
	numeric(11)
<u>name</u>	varchar(100)
id	numeric(2)
description	varchar(150)
file_name	varchar(400)
content	varchar(5000)

additional_pictures	
<u>item_no</u>	varchar(150)
<u>picture_no</u>	numeric(3)
large_pic	varchar(400)
small_pic	varchar(400)
auto_thumb	numeric(1)
thumb_ratio	numeric(3)

custom_query_op	
<u>custom_query_no</u>	numeric(9)
custom_query_name	varchar(30)
custom_query_file_name	varchar(255)
custom_query_description	varchar(255)

custom_query_users	
<u>custom_query_no</u>	numeric(9)
<u>user_id</u>	numeric(10)



numeric(9)
numeric(10)

\_id=user\_id

creditcard_op	
<b>transactionid</b>	numeric(12)
<b>acct</b>	numeric(19)
<b>exp_date</b>	bpchar(4)
card_type	varchar(20)

transactionid=transactionid

paypal_op	
<b>transactionid</b>	numeric(12)
payer_email	varchar(80)
payment_gross	numeric(10,2)
payment_fee	numeric(10,2)

transactionid=transactionid


webuser_op	
<b>user_id</b>	numeric(10)
<b>user_type</b>	numeric(3)
password	varchar(20)
active	numeric(1)
first_name	varchar(30)
last_name	varchar(30)
address	varchar(50)
city	varchar(30)
zip	varchar(15)
state_id	numeric(6)
country_id	numeric(6)
phone	varchar(15)
company	varchar(30)
email	varchar(80)
exported	bpchar(1)
no_of_stores	numeric(6)
resale_no	varchar(30)
ref_cust_no	numeric(10)
fax	varchar(15)
system_type_id	numeric(5)
territory_id	numeric(5)
lob_id	numeric(5)
software_type_id	numeric(5)
verified_id	numeric(5)
status_id	numeric(5)
creation_date	timestamp(8)
last_logged	timestamp(8)
logon_counter	numeric(9)
price_level	numeric(5)
terms_description	bpchar(50)
force_credit_card_payment	numeric(1)
external_customer_no	bpchar(10)
taxable	numeric(1)
user_name	varchar(80)
assigned_company_id	numeric(11)
address2	varchar(50)

state\_id=state\_id

transaction_op	
<b>transactionid</b>	numeric(12)
<b>user_name</b>	varchar(30)
status_flag	numeric(1)
transdate	timestamp(8)
s_first_name	varchar(30)
s_last_name	varchar(30)
s_address	varchar(50)
s_city	varchar(30)
s_state	varchar(25)
s_zip	varchar(15)
s_country	varchar(30)
s_phone	varchar(15)
s_company	varchar(30)
b_first_name	varchar(30)
b_last_name	varchar(30)
b_address	varchar(50)
b_city	varchar(30)
b_state	varchar(20)
b_zip	varchar(15)
b_country	varchar(30)
b_phone	varchar(15)
b_fax	varchar(15)
b_company	varchar(30)
b_email	varchar(80)
b_tax	numeric(10,2)
b_shipment_handling	numeric(10,2)
b_discount	numeric(10,2)
b_pnref	varchar(20)
b_authcode	bpchar(6)
b_date	timestamp(8)
shipping_type_id	numeric(11)
shippment_handling	numeric(10,2)
discount	numeric(10,2)
authcode	bpchar(6)
pnref	varchar(20)
tax	numeric(10,2)
exported	bpchar(1)
bko_id	numeric(12)
payment_type	varchar(20)
no_no	numeric(10)

## webuser



<b>first_name</b>	varchar(30)
<b>last_name</b>	varchar(30)
<b>address</b>	varchar(50)
<b>city</b>	varchar(30)
<b>state</b>	varchar(25)
<b>zip</b>	varchar(15)
<b>country</b>	varchar(30)
<b>phone</b>	varchar(15)
email	varchar(80)
 <b>customer_no</b>	numeric(10)
active	numeric(1)
fax	varchar(15)
creation_date	timestamp(8)
middle_initial	varchar(1)
account_type	numeric(1)
business_contact	varchar(60)
timezone	varchar(20)
company	varchar(30)
county	varchar(30)
user_type	numeric(1)
warehouse_id	numeric(5)
user_name	varchar(30)
password	varchar(20)
salesman_type	numeric(1)
team_leader_id	numeric(10)
team_manager_id	numeric(10)
quota	numeric(9)
commission_value_type	numeric(1)
commission	numeric(10,2)
commission_leader	numeric(10,2)
commission_manager	numeric(10,2)
remaining_commission_owner	numeric(10)
rps_salesman_id	numeric(10)
buddy_salesman_id	numeric(10)
commission_rps_salesman	numeric(10,2)
commission_buddy_salesman	numeric(10,2)
taxable	numeric(1)
credit_limit	numeric(10)
discount_percent	numeric(10,2)
pricing_category	varchar(2)
rental_discount_percent	numeric(10,2)
original_customer_id	varchar(10)
default_company	numeric(5)
all_company_authorized	numeric(1)
sec_profile_fk	numeric(10)

dimension5_val	varchar(100)
dimension1_val	varchar(100)
dimension2_val	varchar(100)
sh_type	numeric(1)
sh_charge	numeric(10,2)
auto_pic	numeric(1)
auto_thumb	numeric(1)
pic_ratio	numeric(3)
thumb_ratio	numeric(3)
catalog_prefix	varchar(100)
part_no	varchar(10)
thumb_text_below	varchar(100)
product_group_id	numeric(10)
taxable_item	numeric(1)
pid	numeric(12)
price_level_id	numeric(10)
product_template_id	numeric(11)

ispecials	
<u>iid</u>	numeric(5)
<u>description</u>	varchar(20)
header	varchar(1000)
footer	varchar(1000)
active	numeric(1)
free_shipping	numeric(1)

catalog_op	
<u>catalog</u>	varchar
position	numer
<u>cid</u>	numer
cat_picture	varcha
dimension1_name	varcha
dimension2_name	varcha
dimension3_name	varcha
dimension4_name	varcha
dimension5_name	varcha
large_description	varcha
branch_id	numer
active	numer

item_options	
<u>item_options_id</u>	numeric(11)
<u>item_no</u>	varchar(150)
<u>did</u>	numeric(6)
picture	varchar(400)
default_selected	numeric(1)
price	numeric(10,2)
part_no	varchar(10)
display_description	varchar(50)
external_item_no	varchar(50)

detail_dependencies	
<u>did</u>	numeric(6)
<u>child_did</u>	numeric(6)

iid=internet\_special

cid=cid

did=childdid=did



<b>large_pic</b>	varchar(400)
auto_pic	numeric(1)
auto_thumb	numeric(1)
pic_ratio	numeric(3)
thumb_ratio	numeric(3)
thumb_text_below	varchar(100)
thumb_description	varchar(2000)
status	numeric(1)
price	numeric(10,2)
product_template_id	numeric(11)

product\_template\_id=product\_template\_id

product\_template\_id=product\_template\_id

<b>product_template</b>	
<b>product_template_id</b>	numeric(11)
<b>template_name</b>	varchar(80)
<b>template_jsp</b>	varchar(80)
active	numeric(1)
default_template	numeric(1)

r(100)
ic(3)
ic(3)
r(400)
r(50)
r(50)
r(50)
r(50)
r(50)
r(1000)
ic(5)
ic(1)

<b>warehouse_op</b>	
<b>branch_id</b>	numeric(5)
<b>warehouse_id</b>	numeric(5)
<b>warehouse</b>	varchar(100)

branch\_id=branch\_id

<b>branch_op</b>	
<b>company_id</b>	numeric(5)
<b>branch_id</b>	numeric(5)
<b>branch</b>	varchar(100)

<b>search_stats_exp_dim</b>	
<b>search_stat_exp_dim_id</b>	numeric(11)
search_stat_id	numeric(11)
dimension_name	varchar(100)
dimension_value	varchar(100)

search\_stat\_id=search\_stat\_id

<b>search_stats</b>	
<b>search_stat_id</b>	numeric(11)
search_type	numeric(2)
username	varchar(100)
search term	varchar(100)

<b>coupon_op</b>	
<b>coupon_id</b>	numeric(11)
coupon_code	varchar(50)
description	varchar(200)
active	numeric(1)
coupon_type	numeric(1)
adjustment_type	numeric(1)
amount	numeric(10,2)
start_time	timestamp
end_time	timestamp
break_requirement	numeric(1)
free_shipping	numeric(1)
requires_coupon_code	numeric(1)
break_type	numeric(1)
ship_via_code	varchar(5)

state	
<b>state_id</b>	numeric(6)
<b>state</b>	varchar(30)
<b>state_code</b>	varchar(2)
<b>country_id</b>	numeric(6)
tax_rate	numeric(10,5)

country\_id=country\_id

country\_id=country\_id


country	
<b>country_id</b>	numeric(6)
<b>country</b>	varchar(30)
<b>country_code</b>	varchar(3)
<b>requires_zip</b>	numeric(1)

req_ship_date	date(4)
deposit	numeric(10,2)
check_no	varchar(20)
sh_tracking_no	varchar(40)
s_address2	varchar(50)
b_address2	varchar(50)
special_instructions	varchar(255)
export_date	timestamp(8)
ship_via	varchar(50)
exported_transaction_id	varchar(50)
coupon_discount	numeric(10,4)
coupon_shipping_discount	numeric(10,4)
coupon_free_shipping	numeric(1)

banner	
<b>bid</b>	numeric(9)
<b>zid</b>	numeric(3)
<b>status</b>	numeric(1)
<b>link_type</b>	numeric(1)
internal_page_content	varchar(10000)
external_url	varchar(500)
<b>image</b>	varchar(400)
last_billed_date	date(4)
<b>start_date</b>	date(4)
end_date	date(4)
<b>hit_counter</b>	numeric(9)

price_level_op	
<b>price_level_id</b>	numeric(10)
price_level_1	numeric(10,4)
price_level_2	numeric(10,4)
price_level_3	numeric(10,4)
price_level_4	numeric(10,4)
price_level_5	numeric(10,4)
price_level_6	numeric(10,4)
price_level_7	numeric(10,4)
price_level_8	numeric(10,4)
price_level_9	numeric(10,4)
price_level_10	numeric(10,4)

bulk_email_draft	
<b>bulk_email_draft_id</b>	numeric(9)
description	varchar(1000)
content_type	numeric(1)
subject	varchar(1000)
body	varchar(2000)
sent_flag	numeric(1)
last_sent_date	timestamp(8)
<b>creation_date</b>	timestamp(8)
update_date	timestamp(8)

<b>ship_via_op</b>	
 <b>ship_via_id</b>	numeric(10)
<b>ship_via_code</b>	varchar(15)
ship_via_status	numeric(1)
calculate_freight	numeric(1)
include_eop	numeric(1)
additional_freight_amount	numeric(10,2)
description	varchar(50)
display_sequence	numeric(5)

option_detail	
<u>did</u>	numeric(6)
<u>cid</u>	numeric(2)
option_name	varchar(100)
part_no	varchar(10)
price	numeric(10,2)
display_description	varchar(50)
external_item_no	varchar(50)

category_dependencies	
<u>cid</u>	numeric(2)
<u>child_cid</u>	numeric(2)

all_options	
<u>all_options_id</u>	numeric(10)
<u>cid</u>	numeric(2)
<u>option_name</u>	varchar(100)
picture	varchar(50)
display_description	varchar(50)
external_item_no	varchar(50)

option_category	
<u>cid</u>	numeric(2)
<u>option_category</u>	varchar(100)
option_type	numeric(1)
display_sequence	numeric(2)

cid=cid

cid=cid=child\_cid

cid=cid

freight_charge_op	
<u>freight_charge_id</u>	numeric(10)
order_amount	numeric(10,2)
freight_amount	numeric(10,2)
freight_level	numeric(10)
over_max_order_amount	numeric(10,2)
over_max_freight_amount	numeric(10,2)
description	varchar(50)

zone	
<u>transactionid</u>	numeric(12)
<u>zone_no</u>	numeric(5)
<u>zone_description</u>	varchar(200)
<u>item_no</u>	varchar(50)
<u>zone_id</u>	numeric(12)
zone_item_type	numeric(1)

zone_header	
<u>transactionid</u>	numeric(12)
<u>master_code</u>	varchar(50)
hostage_code	varchar(50)
password	varchar(50)
confirmation_number	varchar(50)
completed_date	date(4)

user_territory_relation	
<u>territory_rel_pk</u>	numeric(10)
customer_no	numeric(10)
territory_fk	numeric(10)
relationship	bpchar(1)

zone_op	
<u>zid</u>	numeric(3)
default_price	numeric(10,2)
width	numeric(6)
height	numeric(6)

security_auth	
<u>auth_pk</u>	numeric(10)
sec_profile_fk	numeric(10)
sec_act_fk	numeric(10)
sec_code	varchar(1)

inventory	
<u>warehouse</u>	numeric(10)
<u>item_no</u>	numeric(10)
onhand_qty	numeric(10,2)
committed_qty	numeric(10,2)

application_group	
<u>app_group_pk</u>	numeric(10)
app_desc	varchar(50)

(11)
(2)
(100)
(400)
(50)
(50)

company\_id=company\_id

company_op	
<u>company_id</u>	numeric(5)
company	varchar(100)
webprofile_id	numeric(11)

catalog	varchar(100)
search_timestamp	timestamp(8)
matches	numeric(20)

bulk_email	
<u>email</u>	varchar(80)
active	numeric(1)
creation_date	timestamp(8)
opted_date	timestamp(8)
removed_date	timestamp(8)
category	varchar(50)

security_actions	
<u>sec_act_pk</u>	numeric(10)
action_desc	varchar(50)
action_category	numeric(5)
entry_point	numeric(1)
comments	varchar(500)
app_group_fk	numeric(10)

expanded_product_dimension_op	
<u>expanded_dimension_id</u>	numeric(11)
item_no	varchar(150)
pid	numeric(12)
expanded_dimension_number	numeric(5)
expanded_dimension_value	varchar(100)

y_balance	
<u>id</u>	numeric(5)
	varchar(50)
	numeric(9)
ty	numeric(9)

shipping_type	
<u>shipping_type_id</u>	numeric(11)
<u>shipping_type</u>	varchar(100)
<u>shipping_charge</u>	numeric(10,2)

catalog_company_op	
<u>catalog_company_id</u>	numeric(11)
catalog_id	numeric(11)
company_id	numeric(11)

security_profil	
<u>sec_profile_pk</u>	n
sec_desc	v
sec_short_desc	v

<b>expanded_catalog_dimension_op</b>	
<u>expanded_dimension_id</u>	numeric(11)
<b>cid</b>	numeric(3)
expanded_dimension_number	numeric(5)
expanded_dimension_name	varchar(50)
display_for_search	numeric(1)

<b>coupon_item_link_op</b>	
<u>coupon_item_link_id</u>	numeric(11)
coupon_id	numeric(11)
catalog_id	numeric(11)
product_group_id	numeric(11)
product_id	varchar(80)


<b>user_customer_relation</b>	
<u>customer_rel_pk</u>	numeric(10)
customer_no	numeric(10)
customer_fk	varchar(10)
company_fk	numeric(10)
relationship	bpchar(1)



<b>e</b>	
	numeric(10)
	varchar(500)
	varchar(50)


<b>webprofiles</b>	
<u>webprofile_id</u>	numeric(11)
webprofile_name	varchar(120)
webprofile_file	varchar(120)


<b>user_type</b>	
<u>user_type_pk</u>	numeric(10)
description	varchar(500)
short_desc	varchar(30)

<b>coupons_applied</b>	
<u>id</u>	numeric(11)
transaction_id	numeric(11)
coupon_id	numeric(11)

quote_document 	
<b>document_id</b>	numeric(11)
<b>document_name</b>	varchar(100)
<b>document_file_name</b>	varchar(400)
<b>display_in_quote</b>	numeric(1)

user_company_relation 	
 <b>company_rel_pk</b>	numeric(10)
customer_no	numeric(10)
company_fk	numeric(10)
relationship	bpchar(1)

db_schema 	
<b>db_schema_id</b>	numeric(9)
<b>db_schema_version</b>	numeric(9)

discounts_op 	
<b>total_order</b>	numeric(10,2)
<b>discount</b>	numeric(10,2)